


# QuickField simulation report

## Ground connector

Simulation of the ground connector and calculation of its resistance



This automatically generated document consists of several sections, which specify the problem setup and finite element analysis simulation results. Navigation links in the top of each page lead to corresponding sections of this report.

Problem description and QuickField simulation files:

<https://quickfield.com/advanced/ground-connector.htm>

# Problem info

Problem type: DC Conduction

Geometry model class: Plane-Parallel

Problem database file names:

- Problem: *groud.pbm*
- Geometry: *Groud.mod*
- Material Data: *Groud.dcf*
- Material Data 2 (library): *none*
- Electric circuit: *none*

Results taken from other problems:

- *none*

# Geometry model




Table 1. Geometry model statistics

	With Label	Total
Blocks	1	1
Edges	1	4
Vertices	1	7

Number of nodes: 240.

# Labelled objects

There are following labelled objects in the geometry model (Material Data file could contain more labels, but only those labels that assigned to geometric objects are listed)

Blocks:

- [ground](#)
- 

Edges:

- [outer boundary](#)
- 

Vertices:

- [rodes](#)
- 


Detailed information about each label is listed below.

Labelled objects: block "ground"

There are (1) objects with this label

Electrical conductivity:  $\sigma_x=0.1$  S/m,  $\sigma_y=0.1$  S/m


Reference temperature:  $T=0$  K



Labelled objects: edge "outer boundary"

There are (1) objects with this label


Voltage:  $U=0$  V



Labelled objects: vertex "rodes"

There are (3) objects with this label

Voltage:  $U=250$  V





[Problem info](#)

[Geometry model](#)


[Labelled Objects](#)

[Results](#)

[Nonlinear dependencies](#)


# Results

Field lines



# Results

Color map of Current density  $|j|$  [A/m<sup>2</sup>]



# Nonlinear dependencies

No non-linear dependencies are used in this problem data