
QuickField simulation report

Slot embedded conductor

Determination of the current distribution within the conductor and complex impedance of the conductor



This automatically generated document consists of several sections, which specify the problem setup and finite element analysis simulation results. Navigation links in the top of each page lead to corresponding sections of this report.

Problem description and QuickField simulation files: https://quickfield.com/advanced/hmagn1.htm

Problem info

Problem type: AC Magnetics, frequency: 45 Hz,

Geometry model class: Plane-Parallel

Problem database file names:

• Problem: *HMagn1.pbm*

• Geometry: *Hmagn1.mod*

• Material Data: *Hmagn1.dhe*

• Material Data 2 (library): none

• Electric circuit: none

Results taken from other problems:

none

Geometry model




Table 1. Geometry model statistics

	With Label	Total
Blocks	2	2
Edges	2	11
Vertices	0	10

Number of nodes: 9508.

Labelled objects

There are following labelled objects in the geometry model (Material Data file could contain more labels, but only those labels that assigned to geometric objects are listed)

Blocks:	Edges:	Vertices:
Copper BarAir	<u>Steel</u><u>A=0</u>	


Detailed information about each label is listed below.

Labelled objects: block "Copper Bar"
There are (1) objects with this label

Relative magnetic permeability: mu_x=1, mu_y=1

Electric conductivity: sigma=58000000 [S/m]

Total current: I=1 [A], phase 0 [deg] Conductor's connection: in parallel



Labelled objects: block "Air"


There are (1) objects with this label

Relative magnetic permeability: mu_x=1, mu_y=1

Electric conductivity: sigma=0 [S/m]


Current density: j=0 [A/m2], phase 0 [deg]

Conductor's connection: in parallel



Labelled objects: edge "Steel"
There are (7) objects with this label


Tangential field: Ht=0 [A/m], phase 0 [deg]



Labelled objects: edge "A=0"


There are (1) objects with this label

Magnetic potential: A=0 [Wb/m], phase 0 [deg]




Results

Field lines



Results

Color map of Strength |H| [A/m]



Nonlinear dependencies

No non-linear dependencies are used in this problem data