QuickField simulation report

7-2:2012. D.6. Sliding window frame section and insulat

EN ISO 10077-2:2012 Thermal performance of windows, doors and shutters - Calculation of thermal transmittance. Numerical method for frames. Test case D.6 validation.



This automatically generated document consists of several sections, which specify the problem setup and finite element analysis simulation results. Navigation links in the top of each page lead to corresponding sections of this report.

Problem description and QuickField simulation files:
https://quickfield.com/advanced/iso_10077_case_d6.htm

Problem info

Problem type: Steady-State Heat Transfer
Geometry model class: Plane-Parallel
Problem database file names:

- Problem: *Iso10077_d6.pbm*
- Geometry: *Iso10077_d6.mod*
- Material Data: *Iso10077_d6.dht*
- Material Data 2 (library): *none*
- Electric circuit: *none*

Results taken from other problems:

- *none*

Geometry model



Table 1. Geometry model statistics

	With Label	Total
Blocks	11	18
Edges	4	138
Vertices	0	121

Number of nodes: 6857.

Labelled objects

There are following labelled objects in the geometry model (Material Data file could contain more labels, but only those labels that assigned to geometric objects are listed)

Blocks:

- aluminium
- pile weather str
- air1
- insulation panel
- air3
- air4
- air5
- EPDM
- PU
- air2
- polyamide
-

Edges:

- symmetry
- T=0, R=0.04
- T=20, R=0.13
- T=20, R=0.2
-

Vertices:

Detailed information about each label is listed below.

Labelled objects: block "aluminium"

There are (5) objects with this label

Thermal conductivity: lambda_x=160 [W/(K*m)], lambda_y=160 [W/(K*m)]



Labelled objects: block "pile weather str"

There are (3) objects with this label

Thermal conductivity: lambda_x=0.14 [W/(K*m)], lambda_y=0.14 [W/(K*m)]



Labelled objects: block "air1"

There are (1) objects with this label

Thermal conductivity: lambda_x=0.24216 [W/(K*m)], lambda_y=0.24216 [W/(K*m)]



Labelled objects: block "insulation panel"

There are (1) objects with this label

Thermal conductivity: lambda_x=0.035 [W/(K*m)], lambda_y=0.035 [W/(K*m)]



Labelled objects: block "air3"

There are (1) objects with this label

Thermal conductivity: lambda_x=0.07303 [W/(K*m)], lambda_y=0.07303 [W/(K*m)]



Labelled objects: block "air4"

There are (1) objects with this label

Thermal conductivity: lambda_x=0.08647 [W/(K*m)], lambda_y=0.08647 [W/(K*m)]



Labelled objects: block "air5"

There are (1) objects with this label

Thermal conductivity: lambda_x=0.07374 [W/(K*m)], lambda_y=0.07374 [W/(K*m)]



Labelled objects: block "EPDM"

There are (1) objects with this label

Thermal conductivity: lambda_x=0.25 [W/(K*m)], lambda_y=0.25 [W/(K*m)]



Labelled objects: block "PU"

There are (2) objects with this label

Thermal conductivity: lambda_x=0.25 [W/(K*m)], lambda_y=0.25 [W/(K*m)]



Labelled objects: block "air2"

There are (1) objects with this label

Thermal conductivity: lambda_x=0.14128 [W/(K*m)], lambda_y=0.14128 [W/(K*m)]



Labelled objects: block "polyamide"

There are (1) objects with this label

Thermal conductivity: lambda_x=0.25 [W/(K*m)], lambda_y=0.25 [W/(K*m)]



Labelled objects: edge "symmetry"

There are (3) objects with this label

Heat flux: F=0 [W/m2]



Labelled objects: edge "T=0, R=0.04"

There are (20) objects with this label

Convection: alpha=1/0.04 [W/(K*m2)], temperature T0=-273.15 [K]



Labelled objects: edge "T=20, R=0.13"

There are (4) objects with this label

Convection: alpha=1/0.13 [W/(K*m2)], temperature T0=-253.15 [K]



Labelled objects: edge "T=20, R=0.2"

There are (4) objects with this label

Convection: alpha=1/0.2 [W/(K*m2)], temperature T0=-253.15 [K]



Results

Field lines



Results

Color map of Heat flux |F| [W/m2]



Nonlinear dependencies

No non-linear dependencies are used in this problem data