


QuickField simulation report

Three phase cable

High frequency (400 Hz) three phase cable leakage current calculation



This automatically generated document consists of several sections, which specify the problem setup and finite element analysis simulation results. Navigation links in the top of each page lead to corresponding sections of this report.

Problem description and QuickField simulation files:

<https://quickfield.com/advanced/3-phase-cable.htm>

Problem info

Problem type: AC Conduction , frequency: 400 Hz,

Geometry model class: Plane-Parallel

Problem database file names:

- Problem: *cable.pbm*
- Geometry: *Cable.mod*
- Material Data: *Cable.dec*
- Material Data 2 (library): *none*
- Electric circuit: *none*

Results taken from other problems:

- *none*

Geometry model




Table 1. Geometry model statistics

	With Label	Total
Blocks	2	9
Edges	5	24
Vertices	0	21

Number of nodes: 233.

Labelled objects

There are following labelled objects in the geometry model (Material Data file could contain more labels, but only those labels that assigned to geometric objects are listed)

Blocks:

- [insulation](#)
- [shield](#)
-

Edges:

- [outer surface](#)
- [phase C](#)
- [ground](#)
- [phase A](#)
- [phase B](#)
-

Vertices:

Detailed information about each label is listed below.


Labelled objects: block "insulation"

There are (4) objects with this label

Relative electric permittivity $\epsilon_{x=4}$, $\epsilon_{y=4}$

Electrical conductivity $\sigma_{x=0.00001}$ [S/m],

$\sigma_{y=0.00001}$ [S/m]




Labelled objects: block "shield"

There are (1) objects with this label

Relative electric permittivity $\epsilon_{x=2}$, $\epsilon_{y=2}$

Electrical conductivity $\sigma_{x=0.001}$ [S/m],


$\sigma_{y=0.001}$ [S/m]



Labelled objects: edge "outer surface"


There are (4) objects with this label

Voltage: $U=0$ [V], phase 0 [deg]



Labelled objects: edge "phase C"
There are (3) objects with this label


Voltage: $U=250$ [V], phase 240 [deg]



Labelled objects: edge "ground"

There are (3) objects with this label


Voltage: $U=0$ [V], phase 0 [deg]



Labelled objects: edge "phase A"


There are (3) objects with this label

Voltage: $U=250$ [V], phase 0 [deg]




Labelled objects: edge "phase B"
There are (3) objects with this label

Voltage: $U=250$ [V], phase 120 [deg]




Results

Field lines



Results

Color map of Electric induction $|D|$ [C/m²]



Nonlinear dependencies

No non-linear dependencies are used in this problem data