


# QuickField simulation report

## Tokamak solenoid

Calculation of the magnetic field generated by the solenoid and analyzing of the mechanical stresses and deformations



This automatically generated document consists of several sections, which specify the problem setup and finite element analysis simulation results. Navigation links in the top of each page lead to corresponding sections of this report.

Problem description and QuickField simulation files:

<https://quickfield.com/advanced/coupl4.htm>

# Problem info

Problem type: Stress Analysis

Geometry model class: Axisymmetric

Problem database file names:

- Problem: *Coupl4SA.pbm*
- Geometry: *Coupl4.mod*
- Material Data: *Coupl4sa.dsa*
- Material Data 2 (library): *none*
- Electric circuit: *none*

Results taken from other problems:

- *Magnetic Forces: Coupl4ms.pbm*

# Geometry model




Table 1. Geometry model statistics

	With Label	Total
Blocks	3	82
Edges	2	410
Vertices	0	409

Number of nodes: 15138.

# Labelled objects

There are following labelled objects in the geometry model (Material Data file could contain more labels, but only those labels that assigned to geometric objects are listed)

Blocks:

- [Plastic](#)
- [Copper](#)
- [Air](#)
- 

Edges:

- [Equatorial plane](#)
- [Boundary](#)
- 

Vertices:

Detailed information about each label is listed below.

## Labelled objects: block "Plastic"

There are (1) objects with this label

Young's moduli:  $E_x=200000000000$  [N/m<sup>2</sup>],

$E_y=200000000000$  [N/m<sup>2</sup>],  $E_z=200000000000$  [N/m<sup>2</sup>]

Poisson's ratios:  $\nu_{yx}=0.35$ ,  $\nu_{zx}=0.35$ ,  $\nu_{zy}=0.35$

Shear modulus:  $G_{xy}=74070000000$  [N/m<sup>2</sup>]


Allowable tension:  $\sigma_x=1000000000$  [N/m<sup>2</sup>],

$\sigma_y=1000000000$  [N/m<sup>2</sup>]

Allowable compression:  $\sigma_x=1000000000$  [N/m<sup>2</sup>],

$\sigma_y=1000000000$  [N/m<sup>2</sup>]

Allowable shear:  $\tau_{xy}(+)=0$  [N/m<sup>2</sup>],  $\tau_{xy}(-)=0$  [N/m<sup>2</sup>]



## Labelled objects: block "Copper"

There are (40) objects with this label

Young's moduli:  $E_x=77400000000$  [N/m<sup>2</sup>],

$E_y=77400000000$  [N/m<sup>2</sup>],  $E_z=77400000000$  [N/m<sup>2</sup>]

Poisson's ratios:  $\nu_{yx}=0.335$ ,  $\nu_{zx}=0.335$ ,  $\nu_{zy}=0.335$

Shear modulus:  $G_{xy}=28989000000$  [N/m<sup>2</sup>]

Coefficient of thermal expansion:

$a_x=1.63999993674224E-05$  [1/K],

$a_y=1.63999993674224E-05$  [1/K],

$a_z=1.63999993674224E-05$  [1/K]

Difference of temperature:  $\Delta T=0$  [K]


Allowable tension:  $\sigma_x=220000000$  [N/m<sup>2</sup>],

$\sigma_y=220000000$  [N/m<sup>2</sup>]

Allowable compression:  $\sigma_x=220000000$  [N/m<sup>2</sup>],

$\sigma_y=220000000$  [N/m<sup>2</sup>]

Allowable shear:  $\tau_{xy(+)}=0$  [N/m<sup>2</sup>],  $\tau_{xy(-)}=0$  [N/m<sup>2</sup>]



## Labelled objects: block "Air"

There are (41) objects with this label

Young's moduli:  $E_x=0$  [N/m<sup>2</sup>],  $E_y=0$  [N/m<sup>2</sup>],  $E_z=0$  [N/m<sup>2</sup>]


Poisson's ratios:  $\nu_{yx}=0$ ,  $\nu_{zx}=0$ ,  $\nu_{zy}=0$

Shear modulus:  $G_{xy}=0$  [N/m<sup>2</sup>]

Allowable tension:  $\sigma_x=0$  [N/m<sup>2</sup>],  $\sigma_y=0$  [N/m<sup>2</sup>]

Allowable compression:  $\sigma_x=0$  [N/m<sup>2</sup>],  $\sigma_y=0$  [N/m<sup>2</sup>]

Allowable shear:  $\tau_{xy(+)}=0$  [N/m<sup>2</sup>],  $\tau_{xy(-)}=0$  [N/m<sup>2</sup>]






## Labelled objects: edge "Equatorial plane"

There are (1) objects with this label

Prescribed displacement:  $d_x=0$  [m]

Surface force:  $f_y=0$  [N/m<sup>2</sup>]




## Labelled objects: edge "Boundary"

There are (2) objects with this label

Surface force:  $f_x=0$  [N/m<sup>2</sup>]


Surface force:  $f_y=0$  [N/m<sup>2</sup>]






# Results

Field lines



# Results

Color map of Displacement [m]



# Nonlinear dependencies

No non-linear dependencies are used in this problem data

