QuickField simulation report

mal bridges in building construction. Test case A.1 valid

ISO 10211:2007 Thermal bridges in building construction -- Heat flows and surface temperatures -- Detailed calculations. Test case A.1 validation.



This automatically generated document consists of several sections, which specify the problem setup and finite element analysis simulation results. Navigation links in the top of each page lead to corresponding sections of this report.

Problem description and QuickField simulation files:
https://quickfield.com/advanced/iso_10211_2007_case1.htm

Problem info

Problem type: Steady-State Heat Transfer
Geometry model class: Plane-Parallel
Problem database file names:

- Problem: *iso_10211_case1.pbm*
- Geometry: *Iso_10211_case1.mod*
- Material Data: *Iso_10211_case1.dht*
- Material Data 2 (library): *none*
- Electric circuit: *none*

Results taken from other problems:

- *none*

Geometry model



Table 1. Geometry model statistics

	With Label	Total
Blocks	1	1
Edges	3	4
Vertices	0	4

Number of nodes: 1113.

Labelled objects

There are following labelled objects in the geometry model (Material Data file could contain more labels, but only those labels that assigned to geometric objects are listed)

Blocks:	Edges:	Vertices:
• block •	• T=0 • T=20 • flux = 0 •	

Detailed information about each label is listed below.

Labelled objects: block "block"

There are (1) objects with this label

Thermal conductivity: lambda_x=1 [W/(K*m)], lambda_y=1 [W/(K*m)]



Labelled objects: edge "T=0"

There are (2) objects with this label

Temperature: T=-273.15 [K]



Labelled objects: edge "T=20"

There are (1) objects with this label

Temperature: T=-253.15 [K]



Labelled objects: edge "flux = 0"

There are (1) objects with this label

Heat flux: F=0 [W/m2]



Results

Field lines



Results

Color map of Heat flux |F| [W/m2]



Nonlinear dependencies

No non-linear dependencies are used in this problem data